## **LPCB**

## This is to Certify

#### CRANFORD CONTROLS LTD

Unit 2 Waterbrook Estate, Waterbrook Road, Alton, Hampshire, GU34 2UD

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix.

Vantage VTG-32E-SB Sounder, Vantage VTG-32E-DB Sounder, Viper VPR-DT Sounder and VSO-32E Sounder

which have complied with the requirements of the following:

EN54-3: 2001 + A1: 2002 + A2: 2006

Certificate No: 546a

Issue Number: 10

Date of Issue: 19 November 2012

Signed for and on behalf of LPCB

E MATTIE-SULEIMAN



LPCB is part of BRE Global Limited, Watford, WD25 9XX T: +44 (0)1923 664100 F: +44 (0)1923 664910 **W**: www.redbooklive.com
This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions. It is maintained and held in force through annual review and verification. To check the authenticity of this certificate, please visit <a href="https://www.redbooklive.com">www.redbooklive.com</a> or contact us.



### **Appendix to Certificate**

Certificate No: 546a

#### CRANFORD CONTROLS LTD

**Certified Products** 

LPCB Ref. No.

VTG-32E-SB

Conventional indoor Type A sounder

546a/01

Notes:

1. The sounder is approved in red and white colours (-R and -W suffixes)

2. Certified to EN54-3: 2001 with the following selectable tones:

1 – LF Sweep frequency (800-1000Hz in 0.5sec) 25 – German DIN tone Sweep (1200-500Hz @ 1Hz)

27 – French tone AFNOR (554Hz for 100ms and 440Hz for 400ms)

2<sup>nd</sup> Stage tone for all above (800Hz continuous tone)

11 - 2<sup>nd</sup> Stage, Dutch sweep tone (500-1200Hz for 3.5s on, 0.5s off)

VTG-32E-DB

Conventional outdoor Type B sounder

546a/01

Notes:

1. The sounder is approved in red and white colours (-R and -W suffixes)

2.

2. Certified to EN54-3: 2001 with the following selectable tones:

1 – LF Sweep frequency (800-1000Hz in 0.5sec) 25 – German DIN tone Sweep (1200-500Hz @ 1Hz)

27 - French tone AFNOR (554Hz for 100ms and 440Hz for 400ms)

2<sup>nd</sup> Stage tone for all above (800Hz continuous tone)

11 - 2<sup>nd</sup> Stage, Dutch sweep tone (500-1200Hz for 3.5s on, 0.5s off)

For details of Cross-Listed products and alternative branding please see page 4.

Appendix Issue No: 10

Page: 2 of 4

Date of Issue: 19 November 2012

Signed for and on behalf of LPCB





**E MATTIE-SULEIMAN** 

LPCB is part of BRE Global Limited, Watford, WD25 9XX T: +44 (0)1923 664100 F: +44 (0)1923 664910 **W**: www.redbooklive.com
This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions. It is maintained and held in force through annual review and verification. To check the authenticity of this certificate, please visit <a href="https://www.redbooklive.com">www.redbooklive.com</a> or contact us.



### **Appendix to Certificate**

Certificate No: 546a

#### CRANFORD CONTROLS LTD

#### **Certified Products**

LPCB Ref. No.

**VPR-DT** 

Conventional outdoor Type B sounder (116-100 mounting base)

546a/02

Notes:

1. Certified to EN 54-3: 2001 with the following selectable tones:

1 - Evacuate Tone (500-1200Hz Rising Sweep over 3.5 Sec 0.5 Sec off)

2 – Alert Tone (970Hz Continuous Tone)

2. Certified at Maximum Volume only

VSO-32E

Conventional indoor Type A sounder base

546a/04

Notes:

1. Also approved in Off-white, Ivory and Alternative white (-O, -I, and -A suffixes)

2. Meets the requirements of EN 54-3 at the following tone settings on low, medium

and high volume settings:

1 – LF Sweep (Cranford sweep) (800-1000Hz @ 0.5 Sec)

3 - Alternative Warble (800-1000Hz @ 0.5 Sec)

11 – Dutch Sweep Tone (970Hz Cont)

25 - German DIN Tone (Sweep 1200-500Hz @ 1Hz)

27- French Tone AFNOR (554Hz 100ms and 440Hz for 400 ms)

3. Cover plate (Part No. 116-099) must be used.

#### **Bases**

116-100 Viper Mounting Base

For details of Cross-Listed products and alternative branding please see page 4.

Appendix Issue No: 10

Page: 3 of 4

Date of Issue: 19 November 2012

Signed for and on behalf of LPCB





**E MATTIE-SULEIMAN** 

LPCB is part of BRE Global Limited, Watford, WD25 9XX T: +44 (0)1923 664100 F: +44 (0)1923 664910 W: www.redbooklive.com
This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions. It is maintained and held in force through annual review and verification. To check the authenticity of this certificate, please visit <a href="https://www.redbooklive.com">www.redbooklive.com</a> or contact us.

# **LPCB**

## **Appendix to Certificate**

Certificate No: 546a

#### CRANFORD CONTROLS LTD

#### ALTERNATIVE MODEL NUMBERS AND LABELLING

LPCB Ref. No.	Model No.	Alternative Model No.	Labelled	Distributor's Cert /Ref. No.
546a/01	VTG-32E-SB-R	EVTG-32E-SB-R	Eurotech*	546a-(cl-1)
546a/01	VTG-32E-SB-W	EVTG-32E-SB-W	Eurotech*	546a-(cl-1)
546a/01	VTG-32E-DB-R	EVTG-32E-DB-R	Eurotech*	546a-(cl-1)
546a/01	VTG-32E-DB-W	EVTG-32E-DB-W	Eurotech*	546a-(cl-1)
546a/01	VTG-32E-DB-W	FF ES150-VTG-DB-W	Finder Elektronik A.S	546a-(cl-2)
546a/01	VTG-32E-DB-W	FF ES150-VTG-DB-R	Finder Elektronik A.S	546a-(cl-2)
546a/01	VTG-32E-SB-W	FF ES150-VTG-SB-W	Finder Elektronik A.S	546a-(cl-2)
546a/01	VTG-32E-SB-W	FF ES150-VTG-SB-R	Finder Elektronik A.S	546a-(cl-2)
546a/02	VPR-DT	AS276	GE Security	
546a/04	VSO-32E	EVSO-32E-W	Eurotech*	546a-(cl-1)
546a/04	VSO-32E-A	EVSO-32E-EW	Eurotech*	546a-(cl-1)
564a/01	VSO-32E-W	200/FBRI/SOUW	Labor Strauss Sicherungsanlagenbau Ges.m.b.H	546a-(cl-3)

<sup>\*</sup> Eurotech Fire Systems Ltd.

For details of Cross-Listed products and alternative branding please see page 4.

Appendix Issue No: 10

Page: 4 of 4

Date of Issue: 19 November 2012

Signed for and on behalf of LPCB





**E MATTIE-SULEIMAN** 

LPCB is part of BRE Global Limited, Watford, WD25 9XX T: +44 (0)1923 664100 F: +44 (0)1923 664910 W: www.redbooklive.com
This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions. It is maintained and held in force through annual review and verification. To check the authenticity of this certificate, please visit <a href="www.redbooklive.com">www.redbooklive.com</a> or contact us.